



PORCELANOSA Grupo

Texture Collection



New profiles for high-end finishes.

butech
PORCELANOSA Grupo


Texture Collection

The **Texture Collection** profiles illustrate a new step in the evolution of wall tile decoration. In addition to colour, touch becomes a key element in design industry.


This new cutting-edge collection has been designed to combine with the latest trends in porcelain tiles where matt colors and textured finishes are gaining more relevance.



cast iron



cast copper




cement



sand



coal



bone






cast iron

Cast iron inspires this industrial-looking profile, designed to match dark shades or even light colors.



cast copper

Copper and rust are combined in this profile with a touch of volcanic rock. Unique profile for stone and wood effect tiles.





cement

Cement is a basic element in architecture. This solid medium light grey profile is an excellent option to combine with limestone or concrete effect tiles.



sand


Sand finish brings a warm and cosy touch to any tile. This sandy textured profile is ideal for collections inspired by natural stones.





coal

Black is synonymous with elegance and timelessness. This deep black profile is a trendy and everlasting complement for any grey and white tile.




bone

White is the classic color par excellence for interior design. This pure white profile is the perfect and essential accompaniment to any tile.





pro-part



This collection is made on the basis of the pro-part profile, a classic in the decoration of floor and wall tiles from PORCELANOSA Grupo.

The right-angled design, with a side of 8 mm and another side of varying height, depending on the thickness of the tile, makes pro-part a versatile profile with a wide variety of applications.

Made of extruded brass, the **Texture** profiles provide a high quality finish and superior strength, suitable for both floors and walls.

Profile Name	Height	Code
pro-part cast iron	7 mm	100285068
pro-part cast iron	9 mm	100326516
pro-part cast iron	11 mm	100222994
pro-part cast iron	12,5 mm	100278717
pro-part cast copper	9 mm	100326509
pro-part cast copper	11 mm	100223015
pro-part cement	9 mm	100326530
pro-part cement	11 mm	100226161

Profile Name	Height	Code
pro-part sand	9 mm	100326531
pro-part sand	11 mm	100226152
pro-part coal	7 mm	100278697
pro-part coal	9 mm	100326478
pro-part coal	11 mm	100269081
pro-part coal	12,5 mm	100278751
pro-part bone	7 mm	100278708
pro-part bone	11 mm	100269007
pro-part bone	12,5 mm	100278730

Floors

Texture profiles can also be used on interior floors in combination with floor tiles. Tile frames, protection of steps or separation of spaces are some of the applications of this collection that, with a high resistance to wear, is an important add-on in the decoration of floors.





Walls

Texture profiles replace the traditional friezes and listels used in ceramic decoration. When the design of the wall tile requires a decorative line, the **Texture** profiles become an excellent choice, both placed vertically and horizontally, either separating or framing any element of the wall.

Corners

When working with wall tiles, it is absolutely essential to protect and cover the corners. **Texture** profiles offer a perfect finish with all kind of tiles, including rectified ones, adding high impact resistance, safety and decoration.





Wet areas

The resistance to contact and action of water is one of the main characteristics of **Texture** profiles. They can be used in kitchens, bathrooms, shower cabins and steam rooms.



BY APPOINTMENT TO
H.R.H. THE PRINCE OF WALES
MANUFACTURER AND DISTRIBUTOR
OF CERAMIC TILES AND BUILDING PRODUCTS.
PORCELANOSA GROUP LIMITED

PORCELANOSA Grupo

butech building technologies S.A.U.

Ctra. Vila-real - Puebla de Arenoso (CV-20), Km. 2.5 - Apartado de Correos 297 - 12540 Vila-real, Castellón - Spain.
Teléfono (+34) 964 53 62 00 · Fax: (+34) 964 53 00 34 · E-mail: butech@butech.es · www.butech.net